

7 Channels (Mode 1):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 0%→100%
2	000-255	GREEN 0%→100%
3	000-255	BLUE 0%→100%
4	000-255	WHITE 0%→100%
5	000-005 006-255	DIMMER Null 0%→100%
6	000-255	DIMMER FINE
7	000-255	FROST 0%→100%

15 Channels (Mode 2):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 0%→100%
2	000-255	GREEN 0%→100%
3	000-255	BLUE 0%→100%
4	000-255	WHITE 0%→100%
5	000-009 010-017 018-024 025-032 033-039 040-047 048-054 055-061 062-069	COLOR MACRO Null Color 1 Color 2 Color 3 Color 4 Color 5 Color 6 Color 7 Color 8

	070-076 077-084 085-091 092-099 100-106 107-113 114-121 122-128 129-136 137-143 144-151 152-158 159-165 166-173 174-180 181-188 189-195 196-203 204-210 211-217 218-225 226-232 233-240 241-247 248-255	Color 9 Color 10 Color 11 Color 12 Color 13 Color 14 Color 15 Color 16 Color 17 Color 18 Color 19 Color 20 Color 21 Color 22 Color 23 Color 24 Color 25 Color 26 Color 27 Color 28 Color 29 Color 30 Color 31 Color 32 Color 33
6	000-005 006-255	DIMMER Null 0%→100%
7	000-255	DIMMER FINE
8	000-255	STROBE DURATION
9	000-006 007-255	STROBE RATE Blackout Strobe from Slow to Fast
10	000-005 006-050 051-100 101-150 151-200 201-255	STROBE Null Ramp up Ramp down Ramp up-down Lightning Random

11	000-023	MACRO (RGB) Null
	024-031	Macro 1
	032-039	Macro 2
	040-047	Macro 3
	048-055	Macro 4
	056-063	Macro 5
	064-071	Macro 6
	072-079	Macro 7
	080-087	Macro 8
	088-095	Macro 9
	096-103	Macro 10
	104-111	Macro 11
	112-119	Macro 12
	120-127	Macro 13
	128-135	Macro 14
	136-143	Macro 15
	144-151	Macro 16
	152-159	Macro 17
	160-167	Macro 18
	168-175	Macro 19
176-183	Macro 20	
184-191	Macro 21	
192-199	Macro 22	
200-207	Macro 23	
208-215	Macro 24	
216-223	Macro 25	
224-231	Macro 26	
232-239	Macro 27	
240-247	Macro 28	
248-255	Macro 29	
12	000-090	MACRO (W) Null
	091-105	Macro 1
	106-120	Macro 2
	121-135	Macro 3
	136-150	Macro 4
	151-165	Macro 5
	166-180	Macro 6
	181-195	Macro 7
196-210	Macro 8	

	211-225 226-240 241-255	Macro 9 Macro 10 Macro 11
13	000-127 128-255	MACRO SPEED Normal, Slow to Fast Inversion, Slow to Fast
14	000-255	FADE 0%→100%
15	000-255	FROST 0%→100%

21 Channels (Mode 3):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 0%→100%
2	000-255	GREEN 0%→100%
3	000-255	BLUE 0%→100%
4	000-009	COLOR MACRO Null
	010-017	Color 1
	018-024	Color 2
	025-032	Color 3
	033-039	Color 4
	040-047	Color 5
	048-054	Color 6
	055-061	Color 7
	062-069	Color 8
	070-076	Color 9
	077-084	Color 10
	085-091	Color 11
	092-099	Color 12
	100-106	Color 13
	107-113	Color 14
	114-121	Color 15
	122-128	Color 16
	129-136	Color 17
137-143	Color 18	

	144-151 152-158 159-165 166-173 174-180 181-188 189-195 196-203 204-210 211-217 218-225 226-232 233-240 241-247 248-255	Color 19 Color 20 Color 21 Color 22 Color 23 Color 24 Color 25 Color 26 Color 27 Color 28 Color 29 Color 30 Color 31 Color 32 Color 33
5	000-005 006-255	DIMMER (RGB) Null 0%→100%
6	000-255	DIMMER FINE (RGB)
7	000-255	STROBE DURATION (RGB)
8	000-006 007-255	STROBE RATE (RGB) Blackout Strobe from Slow to Fast
9	000-005 006-050 051-100 101-150 151-200 201-255	STROBE (RGB) Null Ramp up Ramp down Ramp up-down Lightning Random
10	000-023 024-031 032-039 040-047 048-055 056-063 064-071 072-079 080-087	MACRO (RGB) Null Macro 1 Macro 2 Macro 3 Macro 4 Macro 5 Macro 6 Macro 7 Macro 8

	088-095 096-103 104-111 112-119 120-127 128-135 136-143 144-151 152-159 160-167 168-175 176-183 184-191 192-199 200-207 208-215 216-223 224-231 232-239 240-247 248-255	Macro 9 Macro 10 Macro 11 Macro 12 Macro 13 Macro 14 Macro 15 Macro 16 Macro 17 Macro 18 Macro 19 Macro 20 Macro 21 Macro 22 Macro 23 Macro 24 Macro 25 Macro 26 Macro 27 Macro 28 Macro 29
11	000-127 128-255	MACRO SPEED (RGB) Normal, Slow to Fast Inversion, Slow to Fast
12	000-255	FADE (RGB) 0%→100%
13	000-005 006-255	DIMMER (W) Null 0%→100%
14	000-255	DIMMER FINE (W)
15	000-255	STROBE DURATION (W)
16	000-006 007-255	STROBE RATE (W) Blackout Strobe from Slow to Fast
17	000-005 006-050 051-100 101-150 151-200	STROBE (W) Null Ramp up Ramp down Ramp up-down Lightning

	201-255	Random
18	000-090	MACRO (W) Null
	091-105	Macro 1
	106-120	Macro 2
	121-135	Macro 3
	136-150	Macro 4
	151-165	Macro 5
	166-180	Macro 6
	181-195	Macro 7
	196-210	Macro 8
	211-225	Macro 9
	226-240	Macro 10
	241-255	Macro 11
19	000-127	MACRO SPEED (W) Normal, Slow to Fast
	128-255	Inversion, Slow to Fast
20	000-255	FADE (W) 0%→100%
21	000-255	FROST 0%→100%

39 Channels (Mode 4):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 1 0%→100%
2	000-255	GREEN 1 0%→100%
3	000-255	BLUE 1 0%→100%
4	000-255	RED 2 0%→100%
5	000-255	GREEN 2 0%→100%
6	000-255	BLUE 2 0%→100%
7	000-255	RED 3 0%→100%

8	000-255	GREEN 3 0%→100%
9	000-255	BLUE 3 0%→100%
10	000-255	RED 4 0%→100%
11	000-255	GREEN 4 0%→100%
12	000-255	BLUE 4 0%→100%
13	000-255	RED 5 0%→100%
14	000-255	GREEN 5 0%→100%
15	000-255	BLUE 5 0%→100%
16	000-255	RED 6 0%→100%
17	000-255	GREEN 6 0%→100%
18	000-255	BLUE 6 0%→100%
19	000-255	RED 7 0%→100%
20	000-255	GREEN 7 0%→100%
21	000-255	BLUE 7 0%→100%
22	000-255	RED 8 0%→100%
23	000-255	GREEN 8 0%→100%
24	000-255	BLUE 8 0%→100%
25	000-005 006-255	DIMMER (RGB) Null 0%→100%
26	000-255	DIMMER FINE (RGB)

27	000-255	STROBE DURATION (RGB)
28	000-006 007-255	STROBE RATE (RGB) Blackout Strobe from Slow to Fast
29	000-005 006-050 051-100 101-150 151-200 201-255	STROBE (RGB) Null Ramp up Ramp down Ramp up-down Lightning Random
30	000-255	WHITE 1 0%→100%
31	000-255	WHITE 2 0%→100%
32	000-255	WHITE 3 0%→100%
33	000-255	WHITE 4 0%→100%
34	000-005 006-255	DIMMER (W) Null 0%→100%
35	000-255	DIMMER FINE (W)
36	000-255	STROBE DURATION (W)
37	000-006 007-255	STROBE RATE (W) Blackout Strobe from Slow to Fast
38	000-005 006-050 051-100 101-150 151-200 201-255	STROBE (W) Null Ramp up Ramp down Ramp up-down Lightning Random
39	000-255	FROST 0%→100%

112 Channels (Mode 5):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 1 0%→100%
2	000-255	GREEN 1 0%→100%
3	000-255	BLUE 1 0%→100%
4	000-255	RED 2 0%→100%
5	000-255	GREEN 2 0%→100%
6	000-255	BLUE 2 0%→100%
7	000-255	RED 3 0%→100%
8	000-255	GREEN 3 0%→100%
9	000-255	BLUE 3 0%→100%
10	000-255	RED 4 0%→100%
11	000-255	GREEN 4 0%→100%
12	000-255	BLUE 4 0%→100%
13	000-255	RED 5 0%→100%
14	000-255	GREEN 5 0%→100%
15	000-255	BLUE 5 0%→100%
16	000-255	RED 6 0%→100%
17	000-255	GREEN 6 0%→100%
18	000-255	BLUE 6 0%→100%

19	000-255	RED 7 0%→100%
20	000-255	GREEN 7 0%→100%
21	000-255	BLUE 7 0%→100%
22	000-255	RED 8 0%→100%
23	000-255	GREEN 8 0%→100%
24	000-255	BLUE 8 0%→100%
25	000-255	RED 9 0%→100%
26	000-255	GREEN 9 0%→100%
27	000-255	BLUE 9 0%→100%
28	000-255	RED 10 0%→100%
29	000-255	GREEN 10 0%→100%
30	000-255	BLUE 10 0%→100%
31	000-255	RED 11 0%→100%
32	000-255	GREEN 11 0%→100%
33	000-255	BLUE 11 0%→100%
34	000-255	RED 12 0%→100%
35	000-255	GREEN 12 0%→100%
36	000-255	BLUE 12 0%→100%
37	000-255	RED 13 0%→100%

38	000-255	GREEN 13 0%→100%
39	000-255	BLUE 13 0%→100%
40	000-255	RED 14 0%→100%
41	000-255	GREEN 14 0%→100%
42	000-255	BLUE 14 0%→100%
43	000-255	RED 15 0%→100%
44	000-255	GREEN 15 0%→100%
45	000-255	BLUE 15 0%→100%
46	000-255	RED 16 0%→100%
47	000-255	GREEN 16 0%→100%
48	000-255	BLUE 16 0%→100%
49	000-255	RED 17 0%→100%
50	000-255	GREEN 17 0%→100%
51	000-255	BLUE 17 0%→100%
52	000-255	RED 18 0%→100%
53	000-255	GREEN 18 0%→100%
54	000-255	BLUE 18 0%→100%
55	000-255	RED 19 0%→100%
56	000-255	GREEN 19 0%→100%

57	000-255	BLUE 19 0%→100%
58	000-255	RED 20 0%→100%
59	000-255	GREEN 20 0%→100%
60	000-255	BLUE 20 0%→100%
61	000-255	RED 21 0%→100%
62	000-255	GREEN 21 0%→100%
63	000-255	BLUE 21 0%→100%
64	000-255	RED 22 0%→100%
65	000-255	GREEN 22 0%→100%
66	000-255	BLUE 22 0%→100%
67	000-255	RED 23 0%→100%
68	000-255	GREEN 23 0%→100%
69	000-255	BLUE 23 0%→100%
70	000-255	RED 24 0%→100%
71	000-255	GREEN 24 0%→100%
72	000-255	BLUE 24 0%→100%
73	000-255	RED 25 0%→100%
74	000-255	GREEN 25 0%→100%
75	000-255	BLUE 25 0%→100%

76	000-255	RED 26 0%→100%
77	000-255	GREEN 26 0%→100%
78	000-255	BLUE 26 0%→100%
79	000-255	RED 27 0%→100%
80	000-255	GREEN 27 0%→100%
81	000-255	BLUE 27 0%→100%
82	000-255	RED 28 0%→100%
83	000-255	GREEN 28 0%→100%
84	000-255	BLUE 28 0%→100%
85	000-255	RED 29 0%→100%
86	000-255	GREEN 29 0%→100%
87	000-255	BLUE 29 0%→100%
88	000-255	RED 30 0%→100%
89	000-255	GREEN 30 0%→100%
90	000-255	BLUE 30 0%→100%
91	000-255	RED 31 0%→100%
92	000-255	GREEN 31 0%→100%
93	000-255	BLUE 31 0%→100%
94	000-255	RED 32 0%→100%

95	000-255	GREEN 32 0%→100%
96	000-255	BLUE 32 0%→100%
97	000-255	WHITE 1 0%→100%
98	000-255	WHITE 2 0%→100%
99	000-255	WHITE 3 0%→100%
100	000-255	WHITE 4 0%→100%
101	000-255	WHITE 5 0%→100%
102	000-255	WHITE 6 0%→100%
103	000-255	WHITE 7 0%→100%
104	000-255	WHITE 8 0%→100%
105	000-255	WHITE 9 0%→100%
106	000-255	WHITE 10 0%→100%
107	000-255	WHITE 11 0%→100%
108	000-255	WHITE 12 0%→100%
109	000-255	WHITE 13 0%→100%
110	000-255	WHITE 14 0%→100%
111	000-255	WHITE 15 0%→100%
112	000-255	WHITE 16 0%→100%

17 Channels (Mode 6):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 1 0%→100%
2	000-255	GREEN 1 0%→100%
3	000-255	BLUE 1 0%→100%
4	000-255	RED 2 0%→100%
5	000-255	GREEN 2 0%→100%
6	000-255	BLUE 2 0%→100%
7	000-255	RED 3 0%→100%
8	000-255	GREEN 3 0%→100%
9	000-255	BLUE 3 0%→100%
10	000-255	RED 4 0%→100%
11	000-255	GREEN 4 0%→100%
12	000-255	BLUE 4 0%→100%
13	000-255	WHITE 1 0%→100%
14	000-255	WHITE 2 0%→100%
15	000-255	WHITE 3 0%→100%
16	000-255	WHITE 4 0%→100%
17	000-255	FROST 0%→100%

33 Channels (Mode 7):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 1 0%→100%
2	000-255	GREEN 1 0%→100%
3	000-255	BLUE 1 0%→100%
4	000-255	RED 2 0%→100%
5	000-255	GREEN 2 0%→100%
6	000-255	BLUE 2 0%→100%
7	000-255	RED 3 0%→100%
8	000-255	GREEN 3 0%→100%
9	000-255	BLUE 3 0%→100%
10	000-255	RED 4 0%→100%
11	000-255	GREEN 4 0%→100%
12	000-255	BLUE 4 0%→100%
13	000-255	RED 5 0%→100%
14	000-255	GREEN 5 0%→100%
15	000-255	BLUE 5 0%→100%
16	000-255	RED 6 0%→100%
17	000-255	GREEN 6 0%→100%
18	000-255	BLUE 6 0%→100%

19	000-255	RED 7 0%→100%
20	000-255	GREEN 7 0%→100%
21	000-255	BLUE 7 0%→100%
22	000-255	RED 8 0%→100%
23	000-255	GREEN 8 0%→100%
24	000-255	BLUE 8 0%→100%
25	000-255	WHITE 1 0%→100%
26	000-255	WHITE 2 0%→100%
27	000-255	WHITE 3 0%→100%
28	000-255	WHITE 4 0%→100%
29	000-255	WHITE 5 0%→100%
30	000-255	WHITE 6 0%→100%
31	000-255	WHITE 7 0%→100%
32	000-255	WHITE 8 0%→100%
33	000-255	FROST 0%→100%

65 Channels (Mode 8):

CHANNEL	VALUE	FUNCTION
1	000-255	RED 1 0%→100%
2	000-255	GREEN 1 0%→100%
3	000-255	BLUE 1 0%→100%
4	000-255	RED 2 0%→100%
5	000-255	GREEN 2 0%→100%
6	000-255	BLUE 2 0%→100%
7	000-255	RED 3 0%→100%
8	000-255	GREEN 3 0%→100%
9	000-255	BLUE 3 0%→100%
10	000-255	RED 4 0%→100%
11	000-255	GREEN 4 0%→100%
12	000-255	BLUE 4 0%→100%
13	000-255	RED 5 0%→100%
14	000-255	GREEN 5 0%→100%
15	000-255	BLUE 5 0%→100%
16	000-255	RED 6 0%→100%
17	000-255	GREEN 6 0%→100%
18	000-255	BLUE 6 0%→100%

19	000-255	RED 7 0%→100%
20	000-255	GREEN 7 0%→100%
21	000-255	BLUE 7 0%→100%
22	000-255	RED 8 0%→100%
23	000-255	GREEN 8 0%→100%
24	000-255	BLUE 8 0%→100%
25	000-255	RED 9 0%→100%
26	000-255	GREEN 9 0%→100%
27	000-255	BLUE 9 0%→100%
28	000-255	RED 10 0%→100%
29	000-255	GREEN 10 0%→100%
30	000-255	BLUE 10 0%→100%
31	000-255	RED 11 0%→100%
32	000-255	GREEN 11 0%→100%
33	000-255	BLUE 11 0%→100%
34	000-255	RED 12 0%→100%
35	000-255	GREEN 12 0%→100%
36	000-255	BLUE 12 0%→100%
37	000-255	RED 13 0%→100%

38	000-255	GREEN 13 0%→100%
39	000-255	BLUE 13 0%→100%
40	000-255	RED 14 0%→100%
41	000-255	GREEN 14 0%→100%
42	000-255	BLUE 14 0%→100%
43	000-255	RED 15 0%→100%
44	000-255	GREEN 15 0%→100%
45	000-255	BLUE 15 0%→100%
46	000-255	RED 16 0%→100%
47	000-255	GREEN 16 0%→100%
48	000-255	BLUE 16 0%→100%
49	000-255	WHITE 1 0%→100%
50	000-255	WHITE 2 0%→100%
51	000-255	WHITE 3 0%→100%
52	000-255	WHITE 4 0%→100%
53	000-255	WHITE 5 0%→100%
54	000-255	WHITE 6 0%→100%
55	000-255	WHITE 7 0%→100%
56	000-255	WHITE 8 0%→100%

57	000-255	WHITE 9 0%→100%
58	000-255	WHITE 10 0%→100%
59	000-255	WHITE 11 0%→100%
60	000-255	WHITE 12 0%→100%
61	000-255	WHITE 13 0%→100%
62	000-255	WHITE 14 0%→100%
63	000-255	WHITE 15 0%→100%
64	000-255	WHITE 16 0%→100%
65	000-255	FROST 0%→100%

68 Channels (Mode 9):

CHANNEL	VALUE	FUNCTION
1	000-005 006-255	DIMMER Null 0%→100%
2	000-007 008-127 128-130 131-250 251-255	STROBE (RGB) Null Strobe from Slow to Fast Null Random Null
3	000-007 008-127 128-130 131-250 251-255	STROBE (W) Null Strobe from Slow to Fast Null Random Null
4	000-255	FROST 0%→100%
5	000-255	RED 1 0%→100%
6	000-255	GREEN 1 0%→100%
7	000-255	BLUE 1 0%→100%
8	000-255	RED 2 0%→100%
9	000-255	GREEN 2 0%→100%
10	000-255	BLUE 2 0%→100%
11	000-255	RED 3 0%→100%
12	000-255	GREEN 3 0%→100%
13	000-255	BLUE 3 0%→100%
14		RED 4

	000-255	0%→100%
15	000-255	GREEN 4 0%→100%
16	000-255	BLUE 4 0%→100%
17	000-255	RED 5 0%→100%
18	000-255	GREEN 5 0%→100%
19	000-255	BLUE 5 0%→100%
20	000-255	RED 6 0%→100%
21	000-255	GREEN 6 0%→100%
22	000-255	BLUE 6 0%→100%
23	000-255	RED 7 0%→100%
24	000-255	GREEN 7 0%→100%
25	000-255	BLUE 7 0%→100%
26	000-255	RED 8 0%→100%
27	000-255	GREEN 8 0%→100%
28	000-255	BLUE 8 0%→100%
29	000-255	RED 9 0%→100%
30	000-255	GREEN 9 0%→100%
31	000-255	BLUE 9 0%→100%
32	000-255	RED 10 0%→100%
33		GREEN 10

	000-255	0%→100%
34	000-255	BLUE 10 0%→100%
35	000-255	RED 11 0%→100%
36	000-255	GREEN 11 0%→100%
37	000-255	BLUE 11 0%→100%
38	000-255	RED 12 0%→100%
39	000-255	GREEN 12 0%→100%
40	000-255	BLUE 12 0%→100%
41	000-255	RED 13 0%→100%
42	000-255	GREEN 13 0%→100%
43	000-255	BLUE 13 0%→100%
44	000-255	RED 14 0%→100%
45	000-255	GREEN 14 0%→100%
46	000-255	BLUE 14 0%→100%
47	000-255	RED 15 0%→100%
48	000-255	GREEN 15 0%→100%
49	000-255	BLUE 15 0%→100%
50	000-255	RED 16 0%→100%
51	000-255	GREEN 16 0%→100%
52		BLUE 16

	000-255	0%→100%
53	000-255	WHITE 1 0%→100%
54	000-255	WHITE 2 0%→100%
55	000-255	WHITE 3 0%→100%
56	000-255	WHITE 4 0%→100%
57	000-255	WHITE 5 0%→100%
58	000-255	WHITE 6 0%→100%
59	000-255	WHITE 7 0%→100%
60	000-255	WHITE 8 0%→100%
61	000-255	WHITE 9 0%→100%
62	000-255	WHITE 10 0%→100%
63	000-255	WHITE 11 0%→100%
64	000-255	WHITE 12 0%→100%
65	000-255	WHITE 13 0%→100%
66	000-255	WHITE 14 0%→100%
67	000-255	WHITE 15 0%→100%
68	000-255	WHITE 16 0%→100%

117 Channels (Mode 10):

CHANNEL	VALUE	FUNCTION
1	000-005 006-255	DIMMER Null 0%→100%
2	000-255	STROBE DURATION
3	000-006 007-255	STROBE RATE Blackout Strobe from Slow to Fast
4	000-005 006-050 051-100 101-150 151-200 201-255	STROBE Null Ramp up Ramp down Ramp up-down Lightning Random
5	000-255	FROST 0%→100%
6	000-255	RED 1 0%→100%
7	000-255	GREEN 1 0%→100%
8	000-255	BLUE 1 0%→100%
9	000-255	RED 2 0%→100%
10	000-255	GREEN 2 0%→100%
11	000-255	BLUE 2 0%→100%
12	000-255	RED 3 0%→100%
13	000-255	GREEN 3 0%→100%
14	000-255	BLUE 3 0%→100%
15	000-255	RED 4 0%→100%

16	000-255	GREEN 4 0%→100%
17	000-255	BLUE 4 0%→100%
18	000-255	RED 5 0%→100%
19	000-255	GREEN 5 0%→100%
20	000-255	BLUE 5 0%→100%
21	000-255	RED 6 0%→100%
22	000-255	GREEN 6 0%→100%
23	000-255	BLUE 6 0%→100%
24	000-255	RED 7 0%→100%
25	000-255	GREEN 7 0%→100%
26	000-255	BLUE 7 0%→100%
27	000-255	RED 8 0%→100%
28	000-255	GREEN 8 0%→100%
29	000-255	BLUE 8 0%→100%
30	000-255	RED 9 0%→100%
31	000-255	GREEN 9 0%→100%
32	000-255	BLUE 9 0%→100%
33	000-255	RED 10 0%→100%
34	000-255	GREEN 10 0%→100%

35	000-255	BLUE 10 0%→100%
36	000-255	RED 11 0%→100%
37	000-255	GREEN 11 0%→100%
38	000-255	BLUE 11 0%→100%
39	000-255	RED 12 0%→100%
40	000-255	GREEN 12 0%→100%
41	000-255	BLUE 12 0%→100%
42	000-255	RED 13 0%→100%
43	000-255	GREEN 13 0%→100%
44	000-255	BLUE 13 0%→100%
45	000-255	RED 14 0%→100%
46	000-255	GREEN 14 0%→100%
47	000-255	BLUE 14 0%→100%
48	000-255	RED 15 0%→100%
49	000-255	GREEN 15 0%→100%
50	000-255	BLUE 15 0%→100%
51	000-255	RED 16 0%→100%
52	000-255	GREEN 16 0%→100%
53	000-255	BLUE 16 0%→100%

54	000-255	RED 17 0%→100%
55	000-255	GREEN 17 0%→100%
56	000-255	BLUE 17 0%→100%
57	000-255	RED 18 0%→100%
58	000-255	GREEN 18 0%→100%
59	000-255	BLUE 18 0%→100%
60	000-255	RED 19 0%→100%
61	000-255	GREEN 19 0%→100%
62	000-255	BLUE 19 0%→100%
63	000-255	RED 20 0%→100%
64	000-255	GREEN 20 0%→100%
65	000-255	BLUE 20 0%→100%
66	000-255	RED 21 0%→100%
67	000-255	GREEN 21 0%→100%
68	000-255	BLUE 21 0%→100%
69	000-255	RED 22 0%→100%
70	000-255	GREEN 22 0%→100%
71	000-255	BLUE 22 0%→100%
72	000-255	RED 23 0%→100%

73	000-255	GREEN 23 0%→100%
74	000-255	BLUE 23 0%→100%
75	000-255	RED 24 0%→100%
76	000-255	GREEN 24 0%→100%
77	000-255	BLUE 24 0%→100%
78	000-255	RED 25 0%→100%
79	000-255	GREEN 25 0%→100%
80	000-255	BLUE 25 0%→100%
81	000-255	RED 26 0%→100%
82	000-255	GREEN 26 0%→100%
83	000-255	BLUE 26 0%→100%
84	000-255	RED 27 0%→100%
85	000-255	GREEN 27 0%→100%
86	000-255	BLUE 27 0%→100%
87	000-255	RED 28 0%→100%
88	000-255	GREEN 28 0%→100%
89	000-255	BLUE 28 0%→100%
90	000-255	RED 29 0%→100%
91	000-255	GREEN 29 0%→100%

92	000-255	BLUE 29 0%→100%
93	000-255	RED 30 0%→100%
94	000-255	GREEN 30 0%→100%
95	000-255	BLUE 30 0%→100%
96	000-255	RED 31 0%→100%
97	000-255	GREEN 31 0%→100%
98	000-255	BLUE 31 0%→100%
99	000-255	RED 32 0%→100%
100	000-255	GREEN 32 0%→100%
101	000-255	BLUE 32 0%→100%
102	000-255	WHITE 1 0%→100%
103	000-255	WHITE 2 0%→100%
104	000-255	WHITE 3 0%→100%
105	000-255	WHITE 4 0%→100%
106	000-255	WHITE 5 0%→100%
107	000-255	WHITE 6 0%→100%
108	000-255	WHITE 7 0%→100%
109	000-255	WHITE 8 0%→100%
110	000-255	WHITE 9 0%→100%

111	000-255	WHITE 10 0%→100%
112	000-255	WHITE 11 0%→100%
113	000-255	WHITE 12 0%→100%
114	000-255	WHITE 13 0%→100%
115	000-255	WHITE 14 0%→100%
116	000-255	WHITE 15 0%→100%
117	000-255	WHITE 16 0%→100%

70 Channels (Mode 11):

CHANNEL	VALUE	FUNCTION
1	000-005 006-255	DIMMER Null 0%→100%
2	000-007 008-127 128-130 131-250 251-255	STROBE (RGB) Null Strobe from Slow to Fast Null Random Null
3	000-007 008-127 128-130 131-250 251-255	STROBE (W) Null Strobe from Slow to Fast Null Random Null
4	000-255	FROST 0%→100%
5	000-255	RED 1 0%→100%
6	000-255	GREEN 1 0%→100%
7	000-255	BLUE 1 0%→100%
8	000-255	RED 2 0%→100%
9	000-255	GREEN 2 0%→100%
10	000-255	BLUE 2 0%→100%
11	000-255	RED 3 0%→100%
12	000-255	GREEN 3 0%→100%
13	000-255	BLUE 3 0%→100%
14		RED 4

	000-255	0%→100%
15	000-255	GREEN 4 0%→100%
16	000-255	BLUE 4 0%→100%
17	000-255	RED 5 0%→100%
18	000-255	GREEN 5 0%→100%
19	000-255	BLUE 5 0%→100%
20	000-255	RED 6 0%→100%
21	000-255	GREEN 6 0%→100%
22	000-255	BLUE 6 0%→100%
23	000-255	RED 7 0%→100%
24	000-255	GREEN 7 0%→100%
25	000-255	BLUE 7 0%→100%
26	000-255	RED 8 0%→100%
27	000-255	GREEN 8 0%→100%
28	000-255	BLUE 8 0%→100%
29	000-255	RED 9 0%→100%
30	000-255	GREEN 9 0%→100%
31	000-255	BLUE 9 0%→100%
32	000-255	RED 10 0%→100%
33		GREEN 10

	000-255	0%→100%
34	000-255	BLUE 10 0%→100%
35	000-255	RED 11 0%→100%
36	000-255	GREEN 11 0%→100%
37	000-255	BLUE 11 0%→100%
38	000-255	RED 12 0%→100%
39	000-255	GREEN 12 0%→100%
40	000-255	BLUE 12 0%→100%
41	000-255	RED 13 0%→100%
42	000-255	GREEN 13 0%→100%
43	000-255	BLUE 13 0%→100%
44	000-255	RED 14 0%→100%
45	000-255	GREEN 14 0%→100%
46	000-255	BLUE 14 0%→100%
47	000-255	RED 15 0%→100%
48	000-255	GREEN 15 0%→100%
49	000-255	BLUE 15 0%→100%
50	000-255	RED 16 0%→100%
51	000-255	GREEN 16 0%→100%
52		BLUE 16

	000-255	0%→100%
53	000-255	WHITE 1 0%→100%
54	000-255	WHITE 2 0%→100%
55	000-255	WHITE 3 0%→100%
56	000-255	WHITE 4 0%→100%
57	000-255	WHITE 5 0%→100%
58	000-255	WHITE 6 0%→100%
59	000-255	WHITE 7 0%→100%
60	000-255	WHITE 8 0%→100%
61	000-255	WHITE 9 0%→100%
62	000-255	WHITE 10 0%→100%
63	000-255	WHITE 11 0%→100%
64	000-255	WHITE 12 0%→100%
65	000-255	WHITE 13 0%→100%
66	000-255	WHITE 14 0%→100%
67	000-255	WHITE 15 0%→100%
68	000-255	WHITE 16 0%→100%
69	000-255	FADE (RGB) 0%→100%
70	000-255	FADE (W) 0%→100%

LED PIXEL ZONES:

39-channel (RGB)

1	2	3	4
5	6	7	8

39-channel (W)

1	2	3	4
---	---	---	---

112/117-channel (RGB)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32

112/117-channel (W)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

17-channel (RGB)

1	2	3	4
---	---	---	---

17-channel (W)

1	2	3	4
---	---	---	---

33-channel (RGB)

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

33-channel (W)

1	2	3	4	5	6	7	8
---	---	---	---	---	---	---	---

65/68/70-channel (RGB)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----

65/68/70-channel (W)

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
---	---	---	---	---	---	---	---	---	----	----	----	----	----	----	----